

LONG ISLAND RAILROAD

Kind of Car	Classification Letters	Date of Adoption	Capacity, Persons	DIMENSIONS OF BODY			Roof	Length bet. Pulling Face of Couplers	Height from Rail to Top of Roof, Empty	Extreme Width Over Eaves	Height from Rail at Widest Pt. with Empty Car	Height from Rail to Top of Floor	Radius of Curve Around Which Car Will Pass	
				Length and Width	Inside	Outside							Single	Coupled
Passenger	P54	1930	72	Length, 53' 7 1/2" Width, 9' 1 1/2"	54' 4 1/2" 9' 9 1/2"	54' 4 1/2" 9' 9 1/2"	Clere Story	64' 0 1/2"	13' 0"	9' 11 1/2"	10' 11"	4' 4 1/2"	107'	158'
"	P54A	1911	69	Length, 53' 8 1/2" Width, 9' 1 1/2"	54' 3 1/2" 9' 9 1/2"	54' 3 1/2" 9' 9 1/2"	Clere Story	64' 0 1/2"	13' 0" ^A	9' 11 1/2"	10' 11"	4' 4 1/2"	107'	158'
"	P54A-Odd	1919	66	Length, 53' 8 1/2" Width, 9' 1 1/2"	54' 3 1/2" 9' 9 1/2"	54' 3 1/2" 9' 9 1/2"	Clere Story	64' 0 1/2"	13' 0" ^A	9' 11 1/2"	10' 11"	4' 4 1/2"	107'	158'
"	P54B	1916	72	Length, 53' 8 1/2" Width, 9' 1 1/2"	54' 3 1/2" 9' 9 1/2"	54' 3 1/2" 9' 9 1/2"	Clere Story	64' 0 1/2"	13' 0" ^A	9' 11 1/2"	10' 11"	4' 4 1/2"	107'	158'
"	P54B-Odd	1919	66	Length, 53' 8 1/2" Width, 9' 1 1/2"	54' 3 1/2" 9' 9 1/2"	54' 3 1/2" 9' 9 1/2"	Clere Story	64' 0 1/2"	13' 0" ^A	9' 11 1/2"	10' 11"	4' 4 1/2"	107'	158'
"	P54D	1926	76	Length, 54' 2 1/2" Width, 9' 8 1/2"	54' 3 1/2" 9' 10"	54' 3 1/2" 9' 10"	Turtle Back	64' 0 1/2"	13' 0" ^B	9' 10 7/8"	10' 8 1/2"	4' 4 1/2"	107'	158'
"	P54E	1923	72	Length, 53' 8 1/2" Width, 9' 1 1/2"	54' 3 1/2" 9' 9 1/2"	54' 3 1/2" 9' 9 1/2"	Clere Story	64' 0 1/2"	13' 0" ^A	9' 11 1/2"	10' 11"	4' 4 1/2"	107'	158'
"	LP70A	1915	91	Length, 69' 7 1/2" Width, 9' 1 1/2"	70' 3 1/2" 9' 9 1/2"	70' 3 1/2" 9' 9 1/2"	Clere Story	79' 10 1/2"	13' 3 1/2"	9' 11 1/2"	11' 0 1/2"	4' 4 1/2"	150'	190'
"	P70A	1911	86	Length, 69' 7 1/2" Width, 9' 1 1/2"	70' 3 1/2" 9' 9 1/2"	70' 3 1/2" 9' 9 1/2"	Clere Story	79' 10 1/2"	14' 0 1/2" ^A	9' 11 1/2"	11' 2"	4' 4 1/2"	150'	190'
"	P70B	1913	86	Length, 69' 7 1/2" Width, 9' 1 1/2"	70' 3 1/2" 9' 9 1/2"	70' 3 1/2" 9' 9 1/2"	Clere Story	79' 10 1/2"	13' 0" ^A	9' 11 1/2"	11' 0 1/2"	4' 4 1/2"	150'	190'
"	P70C	1916	86	Length, 69' 7 1/2" Width, 9' 1 1/2"	70' 3 1/2" 9' 9 1/2"	70' 3 1/2" 9' 9 1/2"	Clere Story	79' 10 1/2"	13' 0" ^A	9' 11 1/2"	11' 0 1/2"	4' 4 1/2"	150'	190'
Combined Pass.-Bagg.	PB54	1911	51	Length, 57' 8 1/2" Width, 9' 1 1/2"	58' 5 1/2" 9' 9 1/2"	58' 5 1/2" 9' 9 1/2"	Clere Story	64' 0 1/2"	13' 0" ^A	9' 11 1/2"	10' 11"	4' 4 1/2"	150'	190'
"	PB54A	1914	53	Length, 57' 8 1/2" Width, 9' 1 1/2"	58' 5 1/2" 9' 9 1/2"	58' 5 1/2" 9' 9 1/2"	Clere Story	64' 0 1/2"	13' 0" ^A	9' 11 1/2"	10' 11"	4' 4 1/2"	107'	158'
"	PB54B	1916	54	Length, 57' 8 1/2" Width, 9' 1 1/2"	58' 5 1/2" 9' 9 1/2"	58' 5 1/2" 9' 9 1/2"	Clere Story	64' 0 1/2"	13' 0" ^A	9' 11 1/2"	10' 11"	4' 4 1/2"	107'	158'
"	PB54C	1927	54	Length, 57' 8 1/2" Width, 9' 1 1/2"	58' 5 1/2" 9' 9 1/2"	58' 5 1/2" 9' 9 1/2"	Clere Story	64' 0 1/2"	13' 0" ^A	9' 11 1/2"	10' 11"	4' 4 1/2"	107'	158'
"	PB57	1927	54	Length, 57' 5" Width, 9' 5 1/2"	58' 6 1/2" 9' 10"	58' 6 1/2" 9' 10"	Turtle Back	64' 0 1/2"	13' 0" ^B	9' 10 7/8"	10' 8 1/2"	4' 4 1/2"	107'	158'
.....
.....
.....
Club	58 FT.	1907	44	Length, 57' 5 1/2" Width, 8' 11 1/2"	58' 5 1/2" 9' 9"	58' 5 1/2" 9' 9"	Clere Story	87' 2 1/2"	14' 0" ^A	9' 10 1/2"	11' 1 1/2"	4' 4 1/2"	100'	130'
"	70 FT.	1911	48	Length, 69' 7 1/2" Width, 9' 1 1/2"	70' 3 1/2" 9' 9 1/2"	70' 3 1/2" 9' 9 1/2"	Clere Story	79' 10 1/2"	14' 0 1/2" ^A	9' 11 1/2"	11' 2"	4' 4 1/2"	150'	190'
"	54 FT.	1914	42	Length, 53' 8 1/2" Width, 9' 1 1/2"	54' 3 1/2" 9' 9 1/2"	54' 3 1/2" 9' 9 1/2"	Clere Story	64' 0 1/2"	13' 0" ^A	9' 11 1/2"	10' 11"	4' 4 1/2"	107'	158'
.....
.....
Business	No. 2200	1902	14	Length, 52' 3" Width, 8' 8"	54' 10" 9' 9"	54' 10" 9' 9"	Clere Story	61' 8 1/2"	14' 4"	10' 1"	11' 4 1/2"	4' 5 1/2"	107'	158'
"	No. 2000	1911	9	Length, 69' 7 1/2" Width, 9' 1 1/2"	70' 3 1/2" 9' 9 1/2"	70' 3 1/2" 9' 9 1/2"	Clere Story	79' 10 1/2"	14' 0 1/2" ^A	9' 11 1/2"	11' 3"	4' 4 1/2"	150'	190'

^A Add 3/4" for height of Ventilator.

^B Add 8 1/4" for height of Ventilator.

^C To edge of Doorway.

DOOR OPENING			Location of Side Doorway from End of Car Inside	TRUCK						Total Wheel Base of Car	Total Weight of Car Empty. Lbs.	REMARKS
Height & Width	Ends	Sides		No. per Car	No. of Wheels	Diameter of Wheels	Wheel Base	Size of Journal	Weight of One Truck. Lbs.			
Height, Width,	6' 8 1/2" 2' 4"	2	4	36"	8' 0"	5"x9"	14300	47' 9"	90000
Height, Width,	6' 9 1/2" 3' 4"	2	4	36"	7' 0"	5"x9"	13800	47' 1"	89000
Height, Width,	6' 9" 2' 4"	2	4	36"	7' 0"	5"x9"	13800	47' 1"	89000
Height, Width,	6' 9 1/2" 3' 4"	2	4	36"	7' 4"	5"x9"	15460	47' 1"	100400
Height, Width,	6' 9" 2' 4"	2	4	36"	7' 4"	5"x9"	14000	47' 1"	100400
Height, Width,	6' 9 1/2" 3' 4"	2	4	33"	6' 4"	4 1/2"x8"	8900	46' 1"	80600
Height, Width,	6' 9 1/2" 3' 4"	2	4	36"	7' 4"	5"x9"	17420	47' 1"	105000
Height, Width,	6' 5 1/2" 2' 4"	2	4	36"	8' 6"	5 1/2"x10"	17000	64' 9"	118550
Height, Width,	6' 9 1/2" 2' 4"	2	4	36"	8' 6"	5 1/2"x10"	15440	64' 9"	123100
Height, Width,	6' 5 1/2" 2' 4"	2	4	36"	8' 6"	5 1/2"x10"	15360	64' 9"	117100
Height, Width,	6' 5 1/2" 2' 4"	2	4	36"	7' 4"	5 1/2"x10"	14000	63' 7"	119300
Height, Width,	6' 9 1/2" 3' 4"	6' 0" 5' 5 1/2"	12' 4" ^C	2	4	36"	7' 0"	5"x9"	13340	46' 9"	87300	{ Bagg. Compt. 18' 1". { Cap. 10000 Lbs.
Height, Width,	6' 9 1/2" 3' 4"	6' 0" 5' 5 1/2"	12' 4" ^C	2	4	36"	7' 4"	5"x9"	14000	47' 1"	87300	{ Bagg. Compt. 18' 1". { Cap. 10000 Lbs.
Height, Width,	6' 9 1/2" 3' 4"	6' 0" 5' 5 1/2"	12' 4" ^C	2	4	36"	7' 4"	5"x9"	14000	47' 1"	97800	{ Bagg. Compt. 18' 1". { Cap. 10000 Lbs.
Height, Width,	6' 9 1/2" 3' 4"	6' 0" 5' 5 1/2"	12' 4" ^C	2	4	36"	7' 4"	5"x9"	17420	47' 1"	101000	{ Bagg. Compt. 18' 1". { Cap. 10000 Lbs.
Height, Width,	6' 7" 3' 0"	6' 0" 5' 5 1/2"	10' 8" ^C	2	4	33"	6' 4"	4 1/2"x8"	8900	46' 1"	79000	{ Bagg. Compt. 17' 5". { Cap. 10000 Lbs.
.....
.....
.....
.....
Height, Width,	6' 9" 2' 4"	2	4	36"	8' 0"	5"x9"	12200	53' 3"	97100	Smithtown.
Height, Width,	6' 9 1/2" 2' 4"	2	4	36"	8' 6"	5 1/2"x10"	15440	64' 9"	123100	Kitchen and Smoking Compartments.
Height, Width,	6' 9 1/2" 3' 4"	2	4	36"	7' 4"	5"x9"	14000	47' 1"	85400	Rockaway.
.....
.....
Height, Width,	6' 6" 2' 1 1/2"	2	6	33"	10' 0"	5"x9"	49' 6"	83300
Height, Width,	6' 9 1/2" 2' 4"	2	6	36"	11' 3"	5 1/2"x10"	29960	65' 0 1/2"	172700	{ K. E. 92920 Lbs. { O. P. 79780 Lbs.

LONG ISLAND RAILROAD

Type of Car	Classification Letters	Kind of Electric Current	Date of Adoption	Capacity, Persons—Lbs.	DIMENSIONS OF BODY			Roof	Length bet. Pulling Face of Couplers	Height from Rail to Top of Roof, Empty	Extreme Width Over Eaves	Height from Rail at Widest Part with Empty Car	Height from Rail to Top of Floor	Radius of Curve Around Which Car Will Pass	
					Length and Width	Inside	Outside							Single	Coupled
Passenger Motor	MP41	DC	1905	52	Length, 40' 0 1/2" Width, 7' 9 1/2"	41' 0 1/2" 8' 7"	Clere Story	51' 4"	12' 1 1/2"	8' 8"	10' 3 1/2"	3' 11"	100'	130'	
"	MP54	DC	1908	72	Length, 53' 8 1/2" Width, 9' 1 1/2"	54' 3 1/2" 9' 9 1/2"	Clere Story	64' 0 1/2"	13' 0" ^A	9' 11 1/2"	10' 11"	4' 4 1/2"	107'	158'	
"	MP54A	DC	1910	69	Length, 53' 8 1/2" Width, 9' 1 1/2"	54' 3 1/2" 9' 9 1/2"	Clere Story	64' 0 1/2"	13' 0" ^A	9' 11 1/2"	10' 11"	4' 4 1/2"	107'	158'	
"	MP54B	DC	1920	78	Length, 54' 2 1/2" Width, 9' 8 1/2"	54' 9 1/2" 9' 10"	Turtle Back	64' 0 1/2"	13' 0" ^B	9' 10 1/8"	10' 8 3/4"	4' 4 1/2"	107'	158'	
"	MP54C	DC	1922	78	Length, 54' 2 1/2" Width, 9' 8 1/2"	54' 3 1/2" 9' 10"	Turtle Back	64' 0 1/2"	13' 0" ^B	9' 10 1/8"	10' 8 3/4"	4' 4 1/2"	107'	158'	
"	MP54D1	DC	1930	78	Length, 54' 2 1/2" Width, 9' 8 1/2"	54' 3 1/2" 9' 10"	Turtle Back	64' 0 1/2"	13' 0"	9' 10 1/8"	10' 8 3/4"	4' 4 1/2"	107'	158'	
"	MP54A1	DC	1930	80	Length, 53' 7 1/2" Width, 9' 1 1/2"	54' 4 1/2" 9' 9 1/2"	Clere Story	64' 6 1/2"	13' 0"	9' 11"	10' 11"	4' 4 1/2"	107'	158'	
.....	MP70	DC	1937	134	Length, 69' 5 1/2" Width, 9' 3"	70' 0" 9' 9 3/8"	Turtle Back	80' 3 1/4"	14' 1 1/2"	9' 11 1/2"	11' 5 3/4"	3' 10"	150'	190'	
Passenger trailer	T54	...	1915	80	Length, 54' 3 1/2" Width, 9' 9 1/2"	54' 9 1/2" 9' 10"	Turtle Back	64' 0 1/2"	13' 0" ^B	9' 10 1/8"	10' 8 3/4"	4' 4 1/2"	107'	158'	
"	T54A	...	1916	80	Length, 54' 2 1/2" Width, 9' 8 1/2"	54' 9 1/2" 9' 10"	Turtle Back	64' 0 1/2"	13' 0" ^B	9' 10 1/8"	10' 8 3/4"	4' 4 1/2"	107'	158'	
"	T54B	...	1922	80	Length, 54' 2 1/2" Width, 9' 8 1/2"	54' 3 1/2" 9' 10"	Turtle Back	64' 0 1/2"	13' 0" ^B	9' 10 1/8"	10' 8 3/4"	4' 4 1/2"	107'	158'	
.....	T62	1932	120	Length, 61' 7 1/2" Width, 9' 3"	62' 2" 9' 9 3/4"	Turtle Back	71' 11 1/2"	14" 1 1/2"	9' 11 1/2"	11' 5 3/4"	3' 10"	150'	190'	
.....	T70	1937	134	Length, 69' 5 1/2" Width, 9' 3"	70' 0" 9' 9 3/8"	Turtle Back	80' 3 1/4"	14' 1 1/2"	9' 11 1/2"	11' 5 3/4"	3' 10"	150'	190'	
Pass.-Bagg. combined	MPB54	DC	1910	51	Length, 57' 8 1/2" Width, 9' 1 1/2"	58' 5 1/2" 9' 9 1/2"	Clere Story	64' 0 1/2"	13' 0" ^A	9' 11 1/2"	10' 11"	4' 4 1/2"	107'	158'	
"	MPBM54	DC	1914	32	Length, 57' 8 1/2" Width, 9' 1 1/2"	58' 5 1/2" 9' 9 1/2"	Clere Story	64' 0 1/2"	13' 0" ^A	9' 11 1/2"	10' 11"	4' 4 1/2"	107'	158'	
"	GM68	...	1923	43	Length, 38' 0" Width, 8' 0 1/2"	48' 5 1/2" 8' 4"	Clere Story	10' 5 3/8"	8' 6 1/2"	3' 10"	3' 6 1/2"	50'	100'	
.....	
Baggage.	MB45	DC	1905	15000	Length, 44' 2" Width, 8' 10 1/2"	45' 0" 9' 10 1/2"	Turtle Back	52' 2 1/2"	13' 0"	9' 11"	11' 0"	4' 4 1/2"	100'	130'	
"	MB62	DC	1910	30000	Length, 61' 8" Width, 9' 0 1/2"	62' 6 1/2" 9' 9 1/2"	Clere Story	64' 0 1/2"	13' 0" ^A	9' 11 1/2"	10' 11"	4' 4 1/2"	107'	158'	
"	MB62A	DC	1910	30000	Length, 61' 8" Width, 9' 0 1/2"	62' 6 1/2" 9' 9 1/2"	Clere Story	64' 0 1/2"	13' 0" ^A	9' 11 1/2"	10' 11"	4' 4 1/2"	107'	158'	
.....	
.....	
Pass.-Mail combined	MBM62	DC	1910	20000	Length, 61' 8" Width, 9' 0 1/2"	62' 6 1/2" 9' 9 1/2"	Clere Story	64' 0 1/2"	13' 0" ^A	9' 11 1/2"	10' 11"	4' 4 1/2"	107'	158'	

A—Add 3/4" for height of ventilator.
 B—Add 8/4" for height of ventilator.

DOOR OPENING			Location of Side Doorway from End of Car. Inside	TRUCK						Total Wheel Base of Car	Total Weight of Car Empty. Lbs.	REMARKS
Height & Width	Ends	Sides		No. per Car	No. of Wheels	Diameter of Wheels	Wheel Base	Size of Journal	Weight of One Truck, Lbs.			
Height, 6' 61" Width, 3' 8"				1 4	36"	6' 8"	5" x 9"	13847	40' 1"	79564	{ Motor End, 48528 Lbs. { Trailer End, 31036 Lbs.	
Height, 6' 91" Width, 3' 4"				1 4	36"	8' 6"	5 1/2" x 10"	17440	47' 6"	104200	{ Motor End, 61250 Lbs. { Trailer End, 42950 Lbs.	
Height, 6' 91" Width, 3' 4"				1 4	36"	8' 6"	5" x 9"	13340	47' 6"	111200	{ Motor End, 64000 Lbs. { Trailer End, 47200 Lbs.	
Height, 6' 7" Width, 5' 0 1/2"				1 4	36"	8' 6"	5 1/2" x 10"	17440	47' 8"	110400	{ Motor End, 63500 Lbs. { Trailer End, 46900 Lbs.	
Height, 6' 7" Width, 3' 0 1/2"				1 4	36"	7' 4"	5" x 9"	14000	47' 8"	117200	{ Motor End, 66340 Lbs. { Trailer End, 50860 Lbs.	
Height, 6' 7" Width, 3' 0 1/2"				2 4	36"	8' 8"	5 1/2" x 11"	18500	48' 5"	113000	{ Motor End, 62000 Lbs. { Trailer End, 51000 Lbs.	
Height, 6' 9 1/2" Width, 3' 4"				2 4	36"	8' 8"	5 1/2" x 11"	14300	48' 5"	117500	{ Motor End, 63250 Lbs. { Trailer End, 54250 Lbs.	
Height, 6' 7" Width, 2' 9 3/4"				2 4	36"	8' 8"	5 1/2" x 11"	27000	63' 6"	120800		
Height, 6' 7" Width, 3' 0 1/2"				2 4	33"	6' 4"	4 1/2" x 8"	8900	46' 1"	63100		
Height, 6' 7" Width, 3' 0 1/2"				2 4	33"	6' 4"	4 1/2" x 8"	8900	46' 1"	66690		
Height, 6' 7" Width, 3' 0 1/2"				2 4	33"	6' 4"	4 1/2" x 8"	8900	46' 1"	74200		
Height, 6' 7" Width, 2' 9 3/4"				2 4	36"	8' 0"	5" x 9"	14300	55' 6"	71800		
Height, 6' 7" Width, 2' 9 3/4"				2 4	36"	8' 8"	5 1/2" x 11"	18000	63' 6"	94200		
Height, 6' 9 1/2" Width, 3' 4"	5' 8" 5' 5 1/2"		12' 4" C	2 4	36"	8' 6"	5 1/2" x 10"	17440	47' 8"	105250	{ Motor End, 61250 Lbs. Bagg. Cpt. 18' 1". { Trailer End, 44000 Lbs. Cap. 10000 Lbs.	
Height, 6' 9 1/2" Width, 3' 4"	6' 0" & 6' 0" 4' 0" & 2' 8"			2 4	36"	8' 6"	5 1/2" x 10"	17000	47' 8"	115300	{ Motor End, 65300 Lbs. Bagg. Cpt. 12' 0". { Trailer End, 50000 Lbs. Mail Cpt. 20' 0".	
Height, 6' 4" Width, 2' 3"	4' 10" 3' 6"		3' 6"	2 4	30"	6' 8"			28' 10"	29900	Rail Motor (Gas). 11' 6" Bagg. Cpt.	
Height, 6' 5" Width, 3' 1"	6' 2" 5' 5"		Center	2 4	36"	6' 8"	5" x 9"	13847	48' 1"	76444	{ Motor End, 47044 Lbs. { Trailer End, 29400 Lbs.	
Height, 6' 5 1/2" Width, 3' 1"	5' 6" & 5' 6" 5' 5 1/2" & 7' 11 1/2"		12' 6 1/2" C	2 4	36"	8' 6"	5 1/2" x 10"	17440	48' 3"	129650		
Height, 6' 5 1/2" Width, 3' 1"	5' 6" & 5' 6" 5' 5 1/2" & 7' 11 1/2"		12' 6 1/2" C	2 4	36"	8' 6"	5 1/2" x 10"	17440	48' 3"	111000	{ Motor End, 63600 Lbs. { Trailer End, 47400 Lbs.	
Height, 6' 5 1/2" Width, 3' 1"	5' 6" & 5' 6" 5' 5 1/2" & 7' 11 1/2"		M4' 7 1/2" C B12' 6 1/2" C	2 4	36"	8' 6"	5 1/2" x 10"	17440	48' 3"	112000	{ Motor End, 63600 Lbs. Bagg. Cpt. 46' 4". { Trailer End, 49000 Lbs. Mail Cpt. 15' 2 1/2".	

C—To edge of doorway.

Weights of all trucks are shown without motors.

LONG ISLAND RAILROAD

Kind of Car	Classification Letters	Date of Adoption	Capacity, Libs.	DIMENSIONS OF BODY			Roof	Length bet. Pulling Fac. of Couplers	Height from Rail to Top of Roof. Empty	Extreme Width Over Eaves	Height from Rail at Widest P't with Empty Car	Height from Rail to Top of Floor	Radius of Curve Around Which Car Will Pass	
				Length Width and Height	Inside	Outside							Single	Couples
Bagg. & Exp	B40	1914	40000	Length, 39' 5" Width, 9' 3½"	39' 5" 9' 3½"	40' 0" 9' 9¾"	Turtle Back	43' 1½"	13' 5½"	9' 10½"	10' 11½"	4' 6"	50'	100'
"	B40A	1916	40000	Height, 40' 1½" Width, 9' 4½"	40' 1½" 9' 4½"	40' 7½" 9' 9¾"	Turtle Back	43' 9½"	13' 5½"	9' 11½"	10' 8½"	4' 6"	50'	100'
"	B60B	1928	40000	Length, 60' 0" Width, 9' 8½" Height, 9' 9½"	60' 0" 9' 8½" 9' 9½"	60' 1½" 9' 9¾"	Turtle Back	63' 2"	14' 0½"	9' 11½"	11' 2"	4' 1"	107'	158'
"	B62	1910	30000	Length, 61' 8" Width, 9' 0½"	61' 8" 9' 0½"	62' 6½" 9' 9¾"	Clere Story	64' 0½"	13' 0" ^A	9' 11½"	10' 10½"	4' 4½"	107'	158'
"	B62A	1910	30000	Length, 61' 8" Width, 9' 0½"	61' 8" 9' 0½"	62' 6½" 9' 9¾"	Clere Story	64' 0½"	13' 0" ^A	9' 11½"	10' 10½"	4' 4½"	107'	158'
.....
Bagg. & Mail	BM60	1928	25000	Length, 60' 0" Width, 9' 8½" Height, 9' 8½"	60' 0" 9' 8½" 9' 8½"	60' 1½" 9' 9¾"	Turtle Back	63' 2"	14' 0½" ^B	9' 11½"	11' 2"	4' 1"	107'	158'
"	BM62	1911	25000	Length, 61' 8½" Width, 9' 0½"	61' 8½" 9' 0½"	62' 6½" 9' 9¾"	Clere Story	64' 0½"	13' 0" ^A	9' 11½"	10' 10½"	4' 4½"	107'	158'
"	BM62A	1914	25000	Length, 61' 8½" Width, 9' 0½"	61' 8½" 9' 0½"	62' 6½" 9' 9¾"	Clere Story	64' 0½"	13' 0" ^A	9' 11½"	10' 10½"	4' 4½"	107'	158'
"	BM62B	1923	25000	Length, 61' 8½" Width, 9' 0½"	61' 8½" 9' 0½"	62' 6½" 9' 9¾"	Clere Story	64' 0½"	13' 0" ^A	9' 11½"	10' 10½"	4' 4½"	107'	158'
.....

^A Add ¾" for height of Ventilator
^B Add 2" for height of Ventilator.

Height & Width	DOOR OPENING		Location of Side Doorway from End of Car. Inside	TRUCK						Total Wheel Base of Car	Total Weight of Car Empty, Lbs.	REMARKS
	Ends	Slides		No. per Car	No. of Wheels	Diameter of Wheels	Wheel Base	Size of Journal	Weight of One Truck, Lbs.			
Height, 6' 5" Width, 3' 0"	6' 0" 5' 5 1/2"		Center	2	4	33"	6' 4"	4 1/2"x8"	8900	28' 1 1/2"	50600
Height, 6' 4 1/2" Width, 3' 0"	6' 0" 5' 5 1/2"		Center	2	4	33"	6' 4"	4 1/2"x8"	8900	31' 3 1/2"	50600
Height, 6' 7" Width, 2' 5"	6' 1 1/2" 6' 0"		17' 0" ^C	2	4	36"	8' 0"	5 1/2"x10"	18000	52' 0"	101000	Swinging Stanchions.
Height, 6' 4" Width, 2' 6"	5' 8" & 5' 8" 5' 3" & 8' 2"		12' 6 1/2" ^C	2	4	36"	7' 0"	5"x9"	13340	46' 9"	82300
Height, 6' 5 1/2" Width, 2' 6"	5' 6" & 5' 6" 5' 5 1/2" & 7' 11 1/2"		12' 6 1/2" ^C	2	4	36"	8' 0"	5 1/2"x10"	17600	48' 3"	87400
.....
Height, 6' 7" Width, 2' 5"	6' 1 1/2" & 6' 1 1/2" 6' 0" & 2' 6"		M4' 6" ^C B17' 0"	2	4	36"	8' 0"	5 1/2"x10"	18000	52' 0"	105500	{ Bagg. Compt. 44' 7". Wt. 50000. { Mail Compt. 15' 0". Wt. 55500.
Height, 6' 5 1/2" Width, 2' 6"	6' 0" & 6' 0" 5' 5 1/2" & 2' 6"		M9' 9" ^C B12' 7"	2	4	36"	7' 0"	5"x9"	13340	46' 9"	91200	{ Bagg. Compt. 28' 7". { Mail Compt. 30' 0".
Height, 6' 5 1/2" Width, 2' 6"	6' 0" & 6' 0" 5' 5 1/2" & 2' 6"		M9' 9" ^C B12' 7"	2	4	36"	7' 4"	5"x9"	14000	47' 1"	98000	{ Bagg. Compt. 28' 7". { Mail Compt. 30' 0".
Height, 6' 5 1/2" Width, 2' 6"	6' 0" & 3' 0" 5' 5 1/2" & 2' 6"		M9' 9" ^C B12' 7"	2	4	36"	7' 4"	5"x9"	14000	47' 1"	103500	{ Bagg. Compt. 28' 7". { Mail Compt. 30' 0".
.....

c To edge of Doorway.

Single	Coupled	DOOR OPENING			Location of Side Doorway from Exit of Car Inside	TRUCK						Total Wheel Base of Car	Total Weight of Car Empty, Lbs.	REMARKS
		Height & Width	Ends	Sides		No. per Car	No. of Wheels	Diameter of Wheels	Wheel Base	Size of Journal	Weight of One Truck, Lbs.			
50'	100'	Height, Width,	7' 5 1/2" 8' 0"	In Center	2	4	33"	5' 6"	5 1/2"x10"	7750	34' 0"	44200	Steel Underframe
		Height, Width,	6' 3" 2' 4"	2	4	33"	5' 0"	3 1/2"x7"	5700	24' 0"	38000	All Steel, Wood Lined.
		Height, Width,	6' 1 1/2" 2' 4"	2	4	33"	5' 5"	4 1/2"x8"	7000	24' 5"	36300	Steel Underframe
		Height, Width,	6' 1 1/2" 2' 4"	2	4	33"	5' 5"	4 1/2"x8"	7000	24' 5"	36000	Steel Underframe

Single	Coupled	Height from Rail to Top of Sides	Highest Point from Rail With Empty Car	Extreme Width	Height from Rail at Widest Pt with Empty Car	TRUCK						Total Wheel Base of Car	Total Weight of Car Empty, Lbs.	REMARKS
						No. per Car	No. of Wheels	Diameter of Wheels	Wheel Base	Size of Journal	Weight of One Truck, Lbs.			
50'	100'	6' 4 1/2"	7' 3"	10' 0 1/2"	4' 1 1/2"	2	4	33"	5' 6"	5 1/2"x10"	7750	35' 6"	44000	Drop Ends
50'	100'	7' 8 1/2"	8' 8 1/2"	10' 0"	4' 0"	2	4	33"	5' 6"	5 1/2"x10"	7750	35' 6"	47000	Hinged Sides and Drop Ends
55'	108'	8' 8 1/2"	8' 3 1/2"	10' 2 1/2"	8' 1 1/2"	2	4	33"	5' 6"	5 1/2"x10"	8100	37' 4 1/2"	43800	{Steel, Wood Floor, U.S.R.A. Design
	
		9' 1"	9' 6"	9' 10"	9' 1 1/2"	2	4	33"	5' 3"	5"x9"	28' 10"	50000	Goodwin Car Co.

Cab Slewing Clearance from Center Line of Truck	Propelling Non-Propelling	TRUCK						Total Wheel Base of Car	Total Weight of Car	Classification Letters	BUILDER
		No. per Car	No. of Wheels	Diameter Wheels	Wheel Base	Size of Journal	Weight of One Truck, Lbs.				
13' 10"	P	2	4	33"	5' 6"	6 1/2"x12"	13400	19' 8"	257450	W150B1	Industrial Works
.....

Height from Rail at Widest Point With Empty Car	Height from Rail to Top of Floor	TRUCK						Total Wheel Base of Car	Total Weight of Car Empty, Lbs.	REMARKS
		No. per Car	No. of Wheels	Diameter of Wheels	Wheel Base	Size of Journal	Weight of One Truck, Lbs.			
20"	8' 6 1/2"	4	33"	6' 0"	4 1/2"x8"	6' 0"	20000	One Car, No. 219
..